

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	322	717/136.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:17
L2	120	717/137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L3	140	717/138.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L4	376	712/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L5	332	712/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L6	301	712/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L7	532	712/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L8	16	"instruction set" with translat\$3 with float\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L9	2	"instruction set" with translat\$3 with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18

L10	22	binary with translat\$3 same isa	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L11	17	binary with translat\$3 with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L12	16	binary with translat\$3 and command adj1 line with (option flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L13	6	translat\$3 with command adj1 line with (option flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L14	31	translat\$3 with (binary "instruction set" architecture) and command adj1 line with (option flag parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L15	56	"32-bit" with "64-bit" with translat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L16	19	"instruction set translator"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L17	2	"instruction set translator" and "command line"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:18
L18	452	"instruction set" near5 translat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:19
L19	17	"instruction set" near5 translat\$3 and "command line"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:19

L20	29	(out-of-order "out of order") with translat\$3 with (in-order "in order")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:19
L21	5	(out-of-order "out of order") with translat\$3 and "binary translation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 16:19